No. 1

Invited Review

Role of liver peroxisomes in bile acid formation: Inborn error of C^{27}-steroid side chain cleavage in peroxisome deficiency (Zellweger syndrome): *B. F. Kase* 1

Original Articles

Preparation of fresh frozen human sera for external quality assessment: *A. Uldall, S. Glavind-Kristensen & S. Bak* 11
Excretion of [24-^{14}C] glycochenodeoxycholate-3-sulphate in patients with liver cirrhosis: *G. Hedenborg, A. Norman & O. Wisén* 15
Histamine metabolism of the human gastric mucosa—a study on the regional distribution of the amine and enzyme activities: *H. Lönroth, L. Lundell & E. Rosengren* 23
Clinical value of an amplified electrophoretic determination of enolase isoenzymes in small cell lung carcinoma patients: *C. Batandier, E. Brambilla, H. Nagy-Mignotte, F. Laporte, M. Jacrot, H. Beriel, B. Paramelle & C. Brambilla* 33
Subcutaneous and muscle blood flow during dopamine infusion in man: *P. Eliasen, P. Klemp, H. Vagn Nielsen & P. Crone* 43
Plasma fibrinogen in unstable coronary artery disease: *E. Swahn, H. Von Schenck & L. Wallentin* 49
Effects of verapamil on intracellular lipid accumulation in cat hearts with 3 h of regional-ischaemia: *H. Jodalen, S. Rotevatn, L. Stangeland, K. Grong & H. Vik-Mo* 55
Differences in coagulation and fibrinolysis after traumatic and septic shock in man: *L. Bagge, O. Haglund, R. Wallin, T. Borg & J. Modig* 63
Concentrations of apolipoproteins B, C-I, C-II, C-III, E and lipids in serum and serum lipoproteins of normal subjects during alimentary lipaemia: *G. Annuzzi, L. Holmquist & L. A. Carlson* 73
Serum concentrations of unconjugated and conjugated cholic acid in portal venous and systemic venous blood of fasting man: *K. Einarsson, E. Reihnér, S. Ewerth & I. Björkhem* 83
The role of carbonic anhydrase in autosomal dominant osteopetrosis: *J. Bollerslev & M. P. Mondrup* 93
Influence of age on physical performance, heart rate and systolic blood pressure response during exercise in apparently healthy women: *S. Michelsen, M. Hurlen, M. Stugaard & J. E. Otterstad* 97

No. 2

Original Articles

Glomerular filtration rate and kidney volume in normoalbumetric non-insulin-dependent diabetics—lack of glomerular hyperfiltration and renal hypertrophy in uncomplicated NIDDM: *A. Schmitz, T. Christensen & F. Taagehoej Jensen* 103
Changes in pneumonectomy-space gas tensions: *L. Simonsen, E. Halkier, B. Christensen, I. H. Gøthgen & M. Krasnik* 110
Effects of captopril and NaCl loading in plasma atrial natriuretic peptide (ANP) in rats with chronic heart failure: *T. Tikkanen* 113
Increased bronchial chloride concentration in cystic fibrosis: *H. Gilljam, A. Ellin, & B. Strandvik* 121
Discriminative ability of total body bone-mineral measured by dual photon absorptiometry: *A. Gotfredsen, J. Pødenphant, L. Nilas & C. Christiansen* 125

Radio-immunoassay of somatostatin from isolated rat pancreatic islets: *B. Vonen, J. Florholmen, A. K. Giæver & P. Burhol* 135
Somatostatin secretion from isolated rat pancreatic islets: *B. Vonen, J. Florholmen, A. K. Giæver & P. Burhol* 139
Influence of lipid and leukocytes on the haemoglobin determination by Coulter Counter S Plus III, Technicon H 600, Technicon H 1, LK 540, Reflotron and Hemocap: *S. Sandberg, K. Sønstabø, & N. G. Christensen* 145
Nicotine does not affect plasma lipoprotein concentrations in healthy men: *M. Quensel, C-D. Agardh, & P. Nilsson-Ehle* 149
The effects of cimetidine on creatinine excretion, glomerular filtration rate and tubular function in renal transplant recipients: *N. V. Olsen, S. D. Ladefoged, B. Feldt-Rasmussen, N. Fogh-Andersen, H. Jordening & O. Munck* 155
Preservation of factor VIII activity in plasma by different freezing techniques, as determined with a chromogenic microtray assay: *I. Vaara & M. Jonsson* 161
Determination of serum levels of unesterified lathosterol by isotope dilution—mass spectrometry: *E. Lund, L. Sisfontes, E. Reihnér & I. Björkhem* 165
Production and evaluation of monospecific antibodies for a processing-independent sequence of human progastrin: *L. Bardram & J. F. Rehfeld* 173
Plasma catecholamines in some airline passengers: *Ø. Ekeberg, B. B. Ellertsen, I. Seeberg & S. E. Kjeldsen* 183
Topical corticosteroid inhibits autoregulation of cutaneous blood flow: *L. J. Petersen & J. K. Kristensen* 189

Letter to the Editor

Influence of urinary flow-rate on proteinuria: *J. F. M. Wetzels, A. J. Hoitsma, F.Th.M. Huysmans & R. A. P. Koene* 195
List of Referees for 1988 199

No. 3

Original Articles

Quantification of fibronectin in extracts of human aortae by ELISA: *L. M. Rasmussen & L. Heickendorff* 205
Effect of complement binding on a solid-phase immunometric TSH assay: *K. Käpyaho, P. Tanner & T. Weber* 211
Comparison of serum total calcium, albumin-corrected total calcium, and ionized calcium in 1213 patients with suspected calcium disorders: *J. Thode, B. Juul-Jørgensen, H. M. Bhatia, M. Kjærulf-Nielsen, P. D. Bartels, N. Fogh-Andersen & O. Siggard-Andersen* 217
Investigation of red cell size distribution histograms of normal male and female subjects: *P. C. Bartels, P. W. Helleman & J. B. J. Soons* 225
Estimation of total body composition from single photon absorptiometry measurement of forearm fat content: *C. Hassager, B. Nielsen & C. Christiansen* 233
Apolipoprotein assays: methodological considerations and studies in non-insulin-dependent diabetes treated by diet, glibenclamide and insulin: *M. S. Billingham, J. J. Milles, A. Green, C. J. Bailey & R. A. Hall* 239
TSH, thyroid hormones and nuclear-binding of T3 in mononuclear blood cells from obese and non-obese women: *L. E. Matzen, J. Kvetny & K. K. Pedersen* 249
Release of granulocyte elastase and complement changes during hysterectomy: *M. Wanscher, F. Knudsen, S. Antonsen & S. H. Hansen* 255

Unchanged lithium clearance during acute amiloride treatment in sodium-depleted man: *N. E. Bruun, P. Skøtt, H. Lønborg-Jensen & J. Giese* 259
Precision of arterial blood gases and cutaneous oxygen saturation in healthy non-smokers: *J. A. Grebstad, L. Svendsen & A. Gulsvik* 265
In vitro stability of the immunoreactivity of the ovarian cancer-associated antigen CA 125: *O. Mogensen, B. Mogensen & A. Jakobsen* 269
Effect of indomethacin on regulation of juxta-articular bone blood-flow during joint tamponade. An experimental study in puppies: *H. Ewald, I. E. Holm, J. Bülow & C. Bünger* 273
Osteocalcin and bone remodelling in Paget's disease of bone, primary hyperparathyroidism, hypercalcaemia of malignancy and involutional osteoporosis: *R. Torres, C. de la Piedra & A. Rapado* 279
Experimental basis of standardized specimen collection: the effect of short moderate exercise on serum K, Na, ASAT, ALAT, CK and LD: *E. A. Leppänen* 287
Increased $^{22}Na^{+}$-influx in lymphocytes from offspring of essential hypertensive patients: *J. R. Nielsen, K. E. Pedersen, N. A. Klitgaard & T. Johansen* 293

Letters to the Editor

Neonatal reference values for ionized calcium. Some comments on criteria in selection of reference population: *L. Larsson, S. Öhman, N. Nelson & O. Finnström* 301
Application of a non-chromatographic radio-immunoassay to the measurement of plasma 5α-dihydrotestosterone in females with idiopathic hirsutism: *J. Montalto, A. B. Yong, J. W. Funder & J. F. Connelly* 303

Erratum

A comparison between haematological parameters in 'capillary' and venous blood from healthy adults (Technical Note): *L. N. W. Daae, S. Halvorsen, P. M. Mathisen & K. Mironska* 305

No. 4

Original Articles

Effect of dopamine and dopamine-antagonist infusion on blood platelet count, size and release reaction in hypertensive and normotensive subjects: *K. Lande, I. Os, S. E. Kjeldsen, A. Westheim, I. Hjermann, I. Eide & K. Gjesdal* 307
Correlation between neutrophil superoxide formation, luminol-augmented chemiluminescence and intracellular Ca^{2+} levels upon stimulation with leukotriene B_4, formylpeptide and phorbolester: *H. Gyllenhammar* 317
Effect of freezing and ultrasonication on the density of human lyphocyte β_2-adrenoceptors: *M. Santala, O. Castrén, S. Saarikoski & I. Penttilä* 323
Concentrations of thyroxine, 3,5,3′-triiodothyronine, 3,3′,5′-triiodothyronine, 3,3′-diiodothyronine, and 3′,5′-diiodothyronine in human red blood cells: *C. Bregengaard, C. Kirkegaard, J. Faber, S. Poulsen, K. Siersbæk-Nielsen & Th. Friis* 329
Metabolic effect of islet B-cell function in insulin-treated diabetes: *H. J. Gjessing, L. E. Matzen, S. Iversen, O. K. Faber & A. Frøland* 337
A reliable potentiometric measurement of ionized calcium and pH on ICA2 Radiometer in clinical practice: *B. Gouget, Y. Gourmelin, F. Blanchet & A. Truchaud* 345
Pulmonary phospholipids in amniotic fluid of pathologic pregnancies: relationship with clinical status of the newborn: *A. Zapata, J. M. Hernandez-Garcia, C. Grande, I. Martinez, J. Perez, P. de la Fuente & J. A. Usandizaga* 351

Ethanol elimination-rates determined by breath analysis as a marker of recent excessive ethanol consumption: *H. Olsen, J. Sakshaug, F. Duckert, J. H. Strømme & J. Mørland* 359

The influence of body weight, age and glucose tolerance on the relationship between GIP secretion and beta-cell function in man: *P-H. Groop* 367

Elastase and papain inhibition by serum of mammals: *H. Schulz, M. Mohr & M. Meyer* 381

Rapid determination of C-reactive protein by enzyme immunoassay using two monoclonal antibodies: *K. Käpyaho, M.-G. Welin, P. Tanner, T. Kärkkäinen & T. Weber* 389

Daily measurements of salivary progesterone reveal a high rate of anovulation in healthy students: *T. Vuorento, A. Lahti, O. Hovatta & I. Huhtaniemi* 395

No. 5

Original Articles

Pancreatic pseudocyst fluid—a mixture of plasma proteins and pancreatic juice possessing a high proteolytic activity: *Å. Lasson, J. Göransson & K. Ohlsson* 403

Comparison of plasma renin and prorenin in healthy infants and children as determined with an enzymatic method and a new direct immunoradiometric assay: *I. Blazy, F. Guillot, K. Laborde & M. Dechaux* 413

The increased proximal tubular reabsorption of sodium and water is maintained in long-term insulin-dependent diabetics with early nephropathy: *P. Skøtt, E. R. Mathiesen, E. Hommel, M-A. Gall, N. E. Bruun & H-H. Parving* 419

Parenteral nutrition including amino acids fails to increase creatinine clearance in catabolic patients: *B. A. Jacobsen, B. N. Jensen, P. B. Mortensen & L. C. Borris* 427

A new enzyme-linked immunosorbent assay for urine and serum concentrations of the carboxyterminal domain (NCl) of collagen IV. Application in type I (insulin-dependent) diabetes: *O. Torffvit, C-D. Agardh, B. Cederholm & J. Wieslander* 431

Comparison of two methods for the determination of the isoenzymes of α-amylase in serum and urine: *J. C. M. Hafkenscheid, M. Hessels & J. F. M. Wetzels* 441

Determination of homocysteine in plasma by ion-exchange chromatography: *A. Andersson, L. Brattström, A. Isaksson, B. Israelsson & B. Hultberg* 445

Characteristics of Doppler blood-velocity waveforms in a cardiovascular *in vitro* model. I. The model and the influence of pulse rate: *J. Legarth & E. Thorup* 451

Characteristics of Doppler blood-velocity waveforms in a cardiovascular *in vitro* model. II. The influence of peripheral resistance, perfusion pressure and blood flow: *J. Legarth & E. Thorup* 459

Microdialysis of subcutaneous adipose tissue *in vivo* for continuous glucose monitoring in man: *J. Bolinder, E. Hagström, U. Ungerstedt & P. Arner* 465

Effects of erythrocytes, bicarbonate, temperature and albumin on *in vitro* ionized calcium variations with pH: *C. B. Kancir, P. H. Petersen & T. Madsen* 475

Performance of dry-chemistry instruments in primary health care: *S. Sandberg, N. B. Christensen, G. Thue & P. K. Lund* 483

Clinical application of sodium-23 nuclear magnetic resonance for measurement of red cell sodium concentrations: *S. Kojima, M. Kanashiro, F. Hayashi, K. Yoshida, H. Abe, M. Imanishi, M. Kawamura, Y. Kawano, T. Ashida, G. Kimura, H. Yoshimi, M. Kuramochi, K. Ito & T. Omae* 489

Effect of haem arginate on colony formation by haematopoietic progenitors *in vitro: S. Partinen, E. Juvonen, R. Tenhunen & T. Ruutu* 497

Erratum

Precision of arterial blood gases and cutaneous oxygen saturation in healthy non-smokers: *J. A. Grebstad, L. Svendsen & A. Gulsvik* 501

No. 6

Original Articles

Evaluation and quality control of a monoclonal antibody based enzyme antigen immunoassay of acetylcholinesterase in amniotic fluid: *A. G. Rasmussen, J. Arends & S. O. Larsen* ... 503

Characterization of the silicone tonometer using a membrane-covered transcutaneous electrode: *P. N. Larsen, F. Moesgaard , F. Gottrup, N. Helledie* 513

The importance of potassium and lactate for maximal exercise performance during beta blockade: *L. Gullestad, L. Ø. Dolva, G. Nordby, K. Skaaraas, S. Larsen & J. Kjekshus* ... 521

Cobalamin and its binding protein in rat milk: *L. Raaberg, E. Nexø, S. S. Poulsen & L. Tollund* 529

On the pathogenesis of arterial blood pressure elevation early in the course of diabetic nephropathy: *E. Hommel, E. R. Mathiesen, J. Giese, M. D. Nielsen, H. J. Schutten, H-H. Parving* 537

Discrepancy between serum concentrations of 1,25-dihydroxyvitamin D metabolites measured by radio-immunoassay and thymus radioreceptor assay during vitamin D_2 treatment: *D. Hartwell, J. S. Johansen & C. Christiansen* 545

^{51}Cr-EDTA plasma clearance in severe renal failure determined by one plasma sample: *A-L. Kamper & S. L. Nielsen* 555

Inadequate algorithm: a cause for 'incorrect pH 7.40 correction' in ionized calcium analysers: *C. Sachs, M. Chaneac, P. Rabouine, C. Kindermans & M. Dechaux* 561

Effects of heavy hyperventilation on transcutaneous and arterial oxygen tensions in healthy adults: *H. H. Steenfos, N. Tromholt, J. Duelund Jacobsen & P. D. Wimberley* 567

Plasma volume substitution does not inhibit plasma noradrenaline and muscle nerve sympathetic responses to insulin-induced hypoglycaemia in healthy humans: *H. Frandsen, C. Berne, J. Fagius, F. Niklasson, N. J. Christensen & J. Hilsted* 573

The acute effect of acetazolamide on glomerular filtration rate and proximal tubular readsorption of sodium and water in normal man: *P. Skøtt, E. Hommel, N. E. Bruun, S. Arnold-Larsen & H-H. Parving* 583

Technical Note

Comparison of ultracentrifugation and a precipitation method for high-density lipoprotein cholesterol quantitation in insulin-dependent diabetic patients: *T. Jensen, S. Stender & M. Deckert* 589

Letter to the Editor

Improved recovery of cells elutriated from bronchoalveolar lavage fluid: *E. Blaschke, A. Eklund, J. Hed & R. Hernbrand* 595

No. 7

Original Articles

Enzyme immunoassay of β-hexosaminidase isoenzymes using monoclonal antibodies: *A. Isaksson, B. Hultberg, P. Masson, K. Löw, E. Sandgren & A. Lundblad* 597

Seasonal variation of serum bone GLA protein: *K. Thomsen, E. F. Eriksen, J. C. R. Jorgensen, P. Charles & L. Mosekilde* 605
Quantitative analysis of phospholipids and demonstration of plasmalogen in human neutrophil subcellular fractions by high-performance liquid chromatography: *O. W. Bjerrum, H. Nielsen & N. Borregaard* 613
Health-based reference values of the Mini-Finland Health Survey: 1. Serum gamma-glutamyltransferase, aspartate aminotransferase and alkaline phosphatase: *J. Järvisalo, J. Maatela, J. Mäki, J. Marniemi & A. Reunanen* 623
Early diagnosis of acute myocardial infarction. A comparison between chemical predictors: *A. Kallner, C. Sylvén, U. Brodin, E. Loogna & K. Svenhamn* 633
Age dependence of renal function: clearance of iohexol and *p*-amino hippurate in healthy males: *S-E. Back, B. Ljungberg, I. Nilsson-Ehle, O. Borga & P. Nilsson-Ehle* 641
Anticoagulant-induced preanalytical errors in ionized calcium determination on blood: *C. Sachs, P. Rabouine, M. Chaneac, C. Kindermans & M. Dechaux* 647
Early morning glycaemia and the metabolic consequences of delaying breakfast/morning insulin. A comparison of continuous subcutaneous insulin infusion and multiple injection therapy with human isophane or human ultralente insulin at bedtime in insulin-dependent diabetics: *K. Haakens, K. F. Hanssen, K. Dahl-Jørgensen, S. Vaaler, P. Torjensen & K. Try* 653
At what level of serum total creatine kinase activity can measurement of serum creatine kinase MB isoenzyme activity be omitted in suspected myocardial infarction?: *J Knudsen, B. Steenstrup, I. Byrjalsen, P. Hildebrandt & S. Sørensen* 661
Calculation of single-ion activities in solutions simulating blood plasma: *A. K. Covington & M. I. A. Ferra* 667
Porphobilinogen deaminase in human erythrocytes: purification of two forms with apparent molecular weights of 40 kDa and 42 kDa: *L. Lannfelt, L. Wetterberg, L. Lilius, S. Thunell, H. Jörnvall, B. Pavlu, A. Wielburski & P. Gellerfors* 677

Technical Note

In vitro granulocyte aggregation: *S. Antonsen & J. M. Beyer* 685

IFCC Document

Guidelines for evaluation of reagent strips. Exemplified by analysis of urine albumin and glucose concentration using visually read reagent strips: *B. Berg, K. Hellsing, R. Jagenburg & A. Kallner* 689

No. 8

Original Articles

Cardiac effects of secretin: an approach to its mechanisms of action as shown by beta-adrenergic blockade and measurement of left ventricular dimensions in dogs: *P. Gunnes, O. Reikerås, I. Hevrøy & O. Grundnes* 701
Screening of kidney function by plasma creatinine and single-sample ^{51}CrEDTA clearance determination—a comparison: *S. Groth, M. Aasted & B. Vestergaard* 707
Determination of ^{51}Cr-EDTA clearance between 15 and 40 ml/min/1.73 m^2 by a single plasma sample: *S. Groth & M. Aasted* 711
Interaction of tetranectin with sulphated polysaccharides and trypan blue: *I. Clemmensen* ... 719
Analytical goals for the estimation of non-Gaussian reference intervals: *P. Hyltoft Petersen, E. M. S. Gowans, O. Blaabjerg & M. Horder* 727

Regional bone mineral in health and osteoporotic women: a cross-sectional study: *A. Gotfredsen, L. Nilas, J. Pødenphant, A. Hadberg & C. Christiansen* 739
Fasting for 72 h decreases the responses of counterregulatory hormones to insulin-induced hypoglycaemia in normal man: *U. Adamson, P-E. Lins & V. Grill* 751
Patterns of immunoreactive trypsin in serum from patients with acute abdominal disorders: *A. Borgström, A. Lasson & K. Ohlsson* 757
Investigation of red cell size-distribution histograms related to folate, vitamin B_{12} and iron state in the course of pregnancy: *P. C. Bartels, P. W. Helleman & J. B. J. Soons* ... 763
Plasma glutamate—a prognostic marker of cancer and of other immunodeficiency syndromes?: *G. Ollenschläger, J. Karner-Hanusch, S. Jansen, J. Schindler & E. Roth* ... 773

Technical Note

Analysis of 6-mercaptopurine, 6-thioguanine nucleotides, and 6-thiouric acid in biological fluids by high-performance liquid chromatography: *I. Bruunshuus & K. Schmiegelow* ... 779